



AQUATICA™

Digital

New 2016 revised version

CANON LENS CHART

For Canon cameras

TYPE 4

4" Dome port lens chart (#18410)

* Neoprene dome cover # 18508 included with port

| Camera lens | GEARS | | PORT |
|-------------------------------------------------------|-------|---------|---------------|
| | Zoom | Focus | EXTENSION |
| Canon EF 8-15mm f/4L USM FISHEYE | *(1) | 49001 | AF Only 48463 |
| Canon EF 15mm f/2.8 Fisheye | | | *(2) |
| Sigma 15mm f/2.8 EX DG Fisheye | | | *(3) |
| Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye + 1.4x TC | 47831 | AF Only | 48453 |

OPTIONAL ACCESSORIES

| DOME | | |
|------------|-------------|-----------------|
| DOME SHADE | SHADE COVER | REAR PORT COVER |
| Built-in | Included | 18790 |
| | | |
| Built-in | Included | 18790 |

*(1) This port has a built-in shade that prevents using the whole zoom range of this circular fisheye lens

*** It is possible, by special request, to order this dome port with the shade machined off ***

*(2) This lens does not focus close enough to be used with this dome port.

*(3) The protruding length of this lens shade prohibits using it with this dome port, damages could result to the internal surface of the dome lens

N/R = Not Required

Revised March 08, 2016

6" Dome port lens chart (#18409)

* Neoprene dome cover # 18502 included with port

| Camera lens | GEARS | | PORT |
|-------------------------------------------------------|-------|---------|-----------|
| | Zoom | Focus | EXTENSION |
| Canon EF 15mm f/2.8 Fisheye | N/R | 48702 | N/R |
| Canon EF 20mm f/2.8 | N/R | AF only | 48456 |
| Canon EF 24mm f/1.4L II USM | N/R | 49002 | 48456 |
| Canon EF 8-15mm f/4L USM FISHEYE | 49001 | AF only | 48463 |
| Sigma 8mm F3.5 EX DG Circular Fisheye | N/R | AF only | 48456 |
| Sigma 10mm f/2.8 EX DC HSM Fisheye | N/R | AF only | N/R |
| Sigma 15mm F2.8 EX DG FISHEYE | N/R | 18715 | N/R |
| Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye + 1.4x TC | 48731 | AF only | 48456 |

OPTIONAL ACCESSORIES

| DOME | | |
|------------|-------------|-----------------|
| DOME SHADE | SHADE COVER | REAR PORT COVER |
| 18484 | 18504 | 18790 |
| 18484 | 18504 | 18790 |
| 18484 | 18504 | 18790 |
| N/R | N/R | 18790 |
| N/R | N/R | 18790 |
| 18484 | 18504 | 18790 |
| 18484 | 18504 | 18790 |
| 18484 | 18504 | 18790 |

*(1) There are multiple versions of this lens, please confirm that your lens fits this description

N/R = Not Required

Revised March 08, 2016

http://www.aquatica.ca/en/charts/canon_type_4.pdf

Note on lens compatibility:

Canon provides 3 types of sensors size, all of which have a direct impact on the field of view coverage of a specific lens, their lens lineup is also divided between EF type lenses that will work on all of their DSLR camera body and the EF-S type which are designed from the onset to work with 1:6 ratio type sensor, please make sure when selecting lenses that they are compatible with your camera model. If you have any question regarding a camera/lens compatibility, please contact your Canon dealer or contact us at info@aquatica.ca

8" Dome port lens chart (#18405)

* Neoprene dome cover # 18500 included with port

| Camera lens | Gear | | Port |
|--------------------------------------------------|-------|---------|-------------------------------------------|
| | Zoom | Focus | Extension |
| Canon EF 14mm f/2.8 L TYPE II USM | N/R | 48771 | 48462 |
| Canon EF 14mm f/2.8 L OLDER TYPE | N/R | AF only | 48453 |
| Canon EF 15mm f/2.8 Fisheye | N/R | 48702 | N/R |
| Canon EF 20mm f/2.8 | N/R | AF only | 48456 |
| Canon EF 24mm f/1.4L II USM | N/R | 49002 | 48456 |
| Canon EF 8-15mm f/4L USM FISHEYE | 49001 | AF only | 48463 |
| Canon EF 16-35mm f/2.8 L II USM | 48708 | AF only | 48459 |
| Canon EF 16-35mm f/2.8 L II USM | *(2) | 48708 | 19064 ⁽²⁾ 48464 ⁽²⁾ |
| Canon EF 16-35mm f/4L IS USM | 49009 | AF Only | 48459 |
| Canon EF 17-40mm F/4L USM | 48708 | AF only | 48458 |
| Canon EF 17-40mm F/4L USM | *(2) | 48708 | 19065 ⁽²⁾ 48465 ⁽²⁾ |
| Canon EF 24-70mm f/2.8L USM Type II (newer type) | 49004 | AF only | 48458 |
| Canon EF 24-105mm f/4L USM | *(1) | 49005 | AF only 48458 |
| Sigma 8mm F3.5 EX DG Circular Fisheye | N/R | AF only | 48456 |
| Sigma 14mm F2.8 EX ASPHERICAL HSM | N/R | AF only | 48462 |
| Sigma 15mm F2.8 EX DG FISHEYE | N/R | 48715 | N/R |
| Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye | 48717 | AF only | 48456 |

OPTIONAL ACCESSORIES

| Dome Shade | Dome Shade Cover | Rear Port Cover |
|------------|------------------|-----------------|
| 18480 | 18503.1 | 18790 |
| 18480 | 18503.1 | 18790 |
| 18480 | 18503.1 | 18790 |
| 18480 | 18503.1 | 18790 |
| 18480 | 18503.1 | 18790 |
| 18480 | 18503.1 | 18790 |
| N/R | N/R | 18790 |
| 18480 | 18503.1 | 18790 |
| 18480 | 18503.1 | 18790 |
| 18480 | 18503.1 | 18790 |
| 18480 | 18503.1 | 18790 |
| 18480 | 18503.1 | 18790 |
| 18480 | 18503.1 | 18790 |
| 18480 | 18503.1 | 18790 |
| 18480 | 18503.1 | 18790 |
| 18480 | 18503.1 | 18790 |

*(1) This lens requires a + 3 diopter to focus on the virtual image of the dome

*(2) This port extension has a manual focusing knob requires a focus gear (sold separately) for that specific lens.

N/R = Not Required

Revised April 25, 2016

http://www.aquatica.ca/en/charts/canon_type_4.pdf

Note on lens compatibility:

Canon provides 3 types of sensors size, all of which have a direct impact on the field of view coverage of a specific lens, their lens lineup is also divided between EF type lenses that will work on all of their DSLR camera body and the EF-S type which are designed from the onset to work with 1:6 ratio type sensor, please make sure when selecting lenses that they are compatible with your camera model. If you have any question regarding a camera/lens compatibility, please contact your Canon dealer or contact us at info@aquatica.ca

9.25" Dome port lens chart (#18407)

* Neoprene dome cover # 18506 included with port

| Camera lens | Gear | | Port |
|--------------------------------------------------|-------|----------------------|----------------------|
| | Zoom | Focus | Extension |
| Canon EF 14mm f/2.8 L <u>TYPE II</u> USM | N/R | 48771 | 48462 |
| Canon EF 14mm f/2.8 L <u>OLDER TYPE</u> | N/R | AF only | 48453 |
| Canon EF 15mm f/2.8 Fisheye | N/R | 48702 | N/R |
| Canon EF 20mm f/2.8 | N/R | AF only | 48456 |
| Canon EF 24mm f/1.4L II USM | N/R | 49002 | 48456 |
| Canon EF 8-15mm f/4L USM FISHEYE *(1) | 49001 | AF only | 48463 |
| Canon EF 16-35mm f/4L IS USM | 49009 | AF only | 48459 |
| Canon EF 16-35 mm f/2.8 L II USM | 48708 | AF only | 48459 |
| Canon EF 16-35 mm f/2.8 L II USM *(2) | 48708 | 19064 ⁽²⁾ | 48464 ⁽²⁾ |
| Canon EF 17-40mm F/4L USM | 48708 | AF only | 48458 |
| Canon EF 17-40mm F/4L USM *(2) | 48708 | 19065 ⁽²⁾ | 48465 ⁽²⁾ |
| Canon EF 24-70mm f/2.8L USM (older type) | 48723 | AF only | 48458 |
| Canon EF 24-70mm f/2.8L USM Type II (newer type) | 49004 | AF only | 48458 |
| Canon EF 24-105mm f/4L USM *(3) | 49005 | AF only | 48458 |
| Sigma 14mm F2.8 EX ASPHERICAL HSM | N/R | AF only | 48462 |
| Sigma 15mm F2.8 FISHEYE | N/R | 48715 | N/R |

| OPTIONAL ACCESSORIES | | |
|----------------------|-------------------------|-----------------|
| Dome Shade | Dome Shade Cover | Rear port Cover |
| INTEGRATED | 18506 (included) | 18790 |
| | | 18790 |
| | | 18790 |
| | | 18790 |
| | | 18790 |
| | | 18790 |
| | | 18790 |
| | | 18790 |
| | | 18790 |
| | | 18790 |
| | | 18790 |
| | | 18790 |

- *(1) This port has a built-in dome shade that prevents using the whole zoom range of this circular fisheye lens
- *(2) This port extension has a manual focusing knob requires a focus gear (sold separately) for that specific lens.
- *(3) This lens requires a + 3 diopter to focus on the virtual image of the dome

Revised April 25, 2016

http://www.aquatica.ca/en/charts/canon_type_4.pdf

Note on lens compatibility:

Canon provides 3 types of sensors size, all of which have a direct impact on the field of view coverage of a specific lens, their lens lineup is also divided between EF type lenses that will work on all of their DSLR camera body and the EF-S type which are designed from the onset to work with 1:6 ratio type sensor, please make sure when selecting lenses that they are compatible with your camera model. If you have any question regarding a camera/lens compatibility, please contact your Canon dealer or contact us at info@aquatica.ca

AQUATICA™

Digital

Canon Type 4 lens chart

Mini Macro Port (#18430)

* 77mm lens cap included with port

| Camera lens | Focus gear | Extension |
|------------------------------|------------|--------------|
| Canon EF-S 60mm f/2.8 USM | 49016 | Not required |
| Canon EF 100mm f/2.8 USM | 49018 | 48456 |
| Canon EF 100mm f/2.8L IS USM | 49015 | 48455 |

OPTIONAL ACCESSORIES

| Rear | | |
|------------|------------------|------------|
| 77mm cover | Replacement lens | Rear Cover |
| (included) | 18587 | 18790 |

Flip Holder for Mini Macro Port

| | |
|-------------------------|-------|
| Single Flip Holder | 19355 |
| Double Flip Holder | 19356 |
| 77mm to 67mm step down | 19358 |
| (+5) Wet Close Up lens | 19352 |
| (+10) Wet Close Up lens | 19353 |

AF Low Profile Macro Port (#18429)

* Neoprene front cover # 18508 included with port

| Camera lens | Focus Gear | Extension |
|------------------------------|------------|---------------|
| Canon EF-S 60mm f/2.8 USM | 49016 | None required |
| Canon EF 100mm f/2.8 USM | 49018 | 48458 |
| Canon EF 100mm f/2.8L IS USM | 49015 | 48458 |

OPTIONAL ACCESSORIES

| Neoprene cover | Replacement lens | Rear Cover |
|------------------|------------------|------------|
| 18508 (included) | 18582 | 18790 |

Revised June 03, 2016

http://www.aquatica.ca/en/charts/canon_type_4.pdf